## CITY OF TUCKER

#### ACKNOWLEDGE RECEIPT OF ADDENDUM #2

## ITB #2025-008 RICHARDSON STREET CONSTRUCTION

Please include this page only in bid submittal.

I hereby acknowledge receipt of the supplement pertaining to the above referenced bid.

COMPANY NAME:		2	
CONTACT PERSON:		Tu Sa	7
ADDRESS:			
CITY:	STATE:	ZIP:	
PHONE:	FAX:	子長しば	
EMAIL ADDRESS:			10/10/1
SIGNATURE	DATE	, ed?	
°heo	110-	norale	

#### ITB #2025-008 ADDENDUM #2

#### This addendum contains the following:

- Response to Questions received
- Revised Cost Proposal Form
  - This is a required bid submittal document and supersedes the Cost Proposal form in the original bid document.

	OHECTION	ANCWED
1	QUESTION  The note on Sheet 15.2 indicates that the granite veneer for the gravity wall is to cover the front, back, and top of the wall. If the wall is backfilled up to the top, is it acceptable to eliminate the veneer on the back side of the wall where it will be fully covered by backfill material?	ANSWER  Yes, the area of the wall that is backfilled does not need the veneer.
2	The gravity wall item is currently measured per linear foot (L.F). Given the varying heights of the wall along the terrain, would it be more appropriate to change the unit of measurement from linear feet to cubic yards?	Yes, plus use 920 square feet for the quantity. The Cost Proposal form has been adjusted accordingly. The revised form is provided via Addendum #2.
3	I saw there are full depth of road, in plan summary qty saw 12.5 MM, 2" milling qty and tack coat, but in bid schedule saws only patching and 19 MM qty, please check it and give in bid schedule?	The Cost Proposal form has been updated to include 12.5mm asphalt and 2" milling. There is no separate pay item for tack coat. Tack should be included in the unit price for asphalt. The revised form is provided via Addendum #2.
4	Should GC include base course in bid item #7 considering the tons of asphalt and base course are different? Or will the city add a separate item for the base course only?	The Cost Proposal has been updated to include graded aggregate base. The revised form is provided via Addendum #2.

### ITB #2025-008 <u>ADDENDUM #2</u>

5	Who will be in charge of paying for testing?	As stated in the Materials section on page 7 of the bid manual, the Contractor will employ and pay for independent testing.
6	Does the clearing area end at the Right of Way or the Limit of Disturbance?	The clearing ends at Limit of Disturbance.
7	Does GC need a prequalification to install water items?	The contractor or subcontractor should be prequalified with the DeKalb County Watershed.
8	Please confirm Georgia Power will provide conduit material and GC should only quote labor/installation.	Confirmed. See line item 35 on the Cost Proposal.
9	Who is in charge of paying for the fire hydrant testing?	The contractor is responsible for the fire hydrant testing and approval. The cost of this should be included in the fire hydrant relocation item.
10	Will the city add a bid schedule item for water quality inspections considering area of disturbance is greater than 1 acre?	The Cost Proposal has been updated to include water quality monitoring and sampling. The revised form is provided via Addendum #2.
11	Will the utility relocation take time from the contract times, or will the relocations be done prior to NTP?	If utility relocations are not completed by NTP, delays that are not the fault of the contractor will not count toward the number of days to complete the project.
12	We measured the cut and fill in the cross-section plans, and it does not match the quantity listed for bid item #5. Could you please clarify if this item is considered extra or if the item is intended to be used in case the soil is in poor condition?	This item is in case of poor soil conditions.  Geotech referenced organic material in area mentioned on plans. The final quantity will be approved by the site inspector.
13	Will the city include items for CCTV and survey & as-builts as mentioned in the pre-bid meeting?	Addendum 1 included the requirement for CCTV and asbuilt of the storm drain system. There is no additional pay item for this. The cost should be included in the unit pricing for the storm drain pipe.
14	On page 8.0, 8.1, and 8.2 the GDOT Decel Pavement Section is called out as 8" GAB, 6" 25mm, 2" 19mm, and 1.5" 12.5mm. However, Page 15.0 and 15.4 call for 8" GAB, 3"	The GDOT pavement section is correct for the decel lane on E Ponce de Leon. Bid schedule. The Cost Proposal form has been updated with the correct quantities. The revised form is provided via Addendum #2.

### ITB #2025-008 <u>ADDENDUM #2</u>

	19mm, and 1.5" 12.5mm. Please clarify which typical section is correct and will the GDOT ROW require the thicker paving section?	
15	Where will the asphalt patching be required?	The City inspector will determine and mark the areas of existing pavement that requires patching.
16	Can a GAB item be added to the pay item list?	Yes, The Cost Proposal from has been updated accordingly and is provided via Addendum #2
17	Can a 12.5mm item be added to the pay item list?	Yes, The Cost Proposal from has been updated accordingly and is provided via Addendum #2
18	Can a tack item be added to the pay item list?	Tack should be included in the unit pricing for asphalt.
19	Are pavement fabric strip be required? If so, can this item be added to the pay item list?	Not required.

# CITY OF TUCKER ITB 2025-008 RICHARDSON STREET CONSTRUCTION

## Cost Proposal REVISED 05/30/2025

<u>ITEM</u>				<u>UNIT</u>	<b>TOTAL</b>
<u>NO.</u>	<u>QTY</u>	<u>UNITS</u>	<u>DESCRIPTION</u>	<b>PRICE</b>	<u>PRICE</u>
1	1	L.S.	MOBILIZATION AND TRAFFIC CONTROL COMPLETE; PER GDOT / MUTCD FOR PROJECT DURATION		
2	1	L.S.	DEMOLITION AND DISPOSAL INCLUDING BUT NOT LIMITED EXISTING IMPERVIOUS SURFACES, SAWCUT AND REMOVAL FROM SITE		
3	1	L.S.	SITE GRADING COMPLETE IN ACCORDANCE WITH APPROVED DRWAINGS		
4	1	LS	EROSION CONTROL COMPLETE IN ACCORDANCE WITH APPROVED DRAWINGS, STATE AND LOCAL REQUIREMENTS FOR THE DURATION		
5	3,200	CY	EXCAVATION OF ORGANIC MATERIAL AND REPLACEMENT WITH STRUCTURAL FILL; COMPACTED, TESTED, AND INSTALLED COMPLETE		
6	30	TON	RECYCLED ASPHALTIC CONCRETE PATCHING, INCLUDING BITUMINUS MATERIAL		
7	850	TON	3" INTERMEDIATE BASE COURSE; RECYCLED ASHPALTIC CONCRETE 19MM SUPERPAVE, GP 2 ONLY, INCLUDING BITUMINUS MATERIAL AND H LIME		
8	240	L.F.	24" DIAMETER RCP STORM DRAIN; WATERTIGHT JOINT; INSTALLED COMPLETE INCLUDING BUT NOT LIMITED TO BEDDING, HAUNCHING, BACKFILL AND COMPACTION IN ACCORDANCE WITH APPROVED DRAWINGS AND CONTRACT DOCUMENTS		

ITEM NO.	<u>QTY</u>	<u>UNITS</u>	<u>DESCRIPTION</u>	UNIT PRICE	TOTAL PRICE
9	1,130	L.F.	18" DIAMETER RCP STORM DRAIN; WATERTIGHT JOINT; INSTALLED COMPLETE INCLUDING BUT NOT LIMITED TO BEDDING, HAUNCHING, BACKFILL AND COMPATION IN ACCORDANCE WITH APPROVED DRAWINGS AND CONTRACT DOCUMENTS		
10	3	EA.	GDOT STANDARD 1033D STANDARD SINGLE WING CATCH BASIN; GP1; INSTALLED COMPLETE		
11	1	EA.	GDOT STANDARD 1034D DOUBLE WING CATCH BASING; GP1; INSTALLED COMPLETE		
12	12	EA.	GDOT STANDARD 1019A DROP INLET; GP 2; INSTALLED COMPLETE		
13	2	EA.	GDOT STANDARD 1001B PRECAST CONCRETE HEADWALL; COMPLETE INCLUDING BUT NOT LIMITED TO GROUT AND SEALED AND PIPE CONNECTION AND ALL RELATED APPURTENANCES IN ACCORDANCE WITH APPROVED DRAWINGS AND CONCTRACT DOCUMENTS		
14	9	SY	GDOT RIP-RAP "TYPE III", STN DUMPED, AVG 18" W/ FILTER FABRIC; INSTALLED COMPLETE		
15	38	SF	HIGHWAY SIGNS, TP 1 MATL, REFL SHEETING, TP 9; INSTALLED COMPLETE IN ACCORDANCE WITH APPROVED DAWINGS, MUTCD & GDOT STANDARDS		
16	2	EA.	WHITE THERMOPLASTIC PAVEMENT MARKING, ARROW, TP2 STANDARD INSTALLED COMPLETE IN ACCORDANCE WITH MUTCD & GDOT STANDARDS		
17	3,400	L.F.	GDOT THERMOPLASTIC SOLID TRAFFIC STRIPE, 6 INCH WHITE INSTALLED COMPLETE		

ITEM NO.	<u>QTY</u>	<u>UNITS</u>	DESCRIPTION	UNIT PRICE	TOTAL PRICE
18	2,600	L.F.	YELLOW THERMOPLASTIC SOLID TRAFFIC STRIPE, 6 INCH WIDTH INSTALLED COMPLETE		
19	186	L.F.	WHITE THERMOPLASTIC SOLID TRAFFIC STRIPE, 24 INCH WIDTH INSTALLED COMPLETE		
20	50	L.F.	WHITE THERMOPLASTIC SOLID TRAFFIC STRIPE, 12 INCH WIDTH INSTALLED COMPLETE		
21	600	L.F.	WHITE THERMOPLASTIC SOLID TRAFFIC STRIPE, 8 INCH WIDTH INSTALLED COMPLETE		
22	41	L.F.	WHITE THERMOPLASTIC SKIP TRAFFIC STRIPE, 6 INCH WIDTH INSTALLED COMPLETE		
23	62	EA	RAISED PAVEMENT MARKERS, TYPE 1 INSTALLED COMPLETE		
24	11	EA	RAISED PAVEMENT MARKERS, TYPE 3 INSTALLED COMPLETE		
25	400	L.F.	CONCRETE CURB & GUTTER, 6 INCH BY 30 INCH, TYPE 2 INSTALLED COMPLETE		
26	3,200	L.F.	CONCRETE CURB & GUTTER, 8 INCH BY 24 INCH, TYPE 2 INSTALLED COMPLETE		
27	1,150	SY	6 FOOT WIDE, 4 INCH DEPTH 3000 PSI CONCRETE SIDEWALK INSTALLED COMPLETE INCLUDING SUBGRADE PREP, FORMING AND FINISHING (LIGHT BROOM)		
28	920	SF	CONCRETE GRAVITY RETAINING WALL PER GDOT STD 903IL WITH GRANITE STONE VENEER PER CIVIL CONSTRUCTION DETAILS		
29	16	EA	CURB CUT WHEELCHAIR RAMP WITH ADA DETECTOR PAVERS INSTALLED COMPLETE (YELLOW)		

ITEM NO.	<u>OTY</u>	UNITS	<u>DESCRIPTION</u>	UNIT PRICE	TOTAL PRICE
30	1	EA	FIRE HYDRANT REMOVAL AND RELOCATION; INSTALLED COMPLETE AND TESTED WITH REPORT SUBMITTED TO OWNER		
31	5	EA	EXISTING WATER VALVES ADJUSTED TO NEW GRADE LEVEL; INSTALLED COMPLETE AND TESTED PER CITY STANDARDS		
32	2	EA	EXISTING WATER METER BOXES ADJUSTED TO NEW GRADE LEVEL; INSTALLED COMPLETE AND TESTED PER CITY STANDARDS		
33	2.1	AC	PERMANENT GRASSING; INSTALLED COMPLETE INCLUDING BUT NOT LIMITED TO SEED, STRAW, FERTILIZER AND LIME		
34	1000	SY	BERMUDA SOD; INSTALLED COMPLETE		
35	5000	LF	2" LIGHTING CONDUIT, INSTALLATION ONLY (CONDUIT TO BE PROVIDED BY GA POWER)		
36	550	TN	RECYCLED ASPHALT CONC, 12.5MM SUPERPAVE, INCL BITUM MATERIAL, H LIME & TACK COAT		
37	220	TN	RECYCLED ASPHALT CONC, 19MM SUPERPAVE, INCL BITUM MATERIAL, H LIME & TACK COAT		
38	2,200	SY	MILL ASPHALT CONC PAVEMENT, 3" DEPTH		
39	2,000	TN	GRADED AGGREGATE BASE CRS, INCL MATL		
40	10	SY	CLASS B WIDENING		
41	1	LS	WATER QUALITY MONITORING AND SAMPLING – 2 LOCATIONS FOR 12 MONTHS		
42	1	EA	WEIR TOP BOX AND INLET		

<sup>\*</sup>In case of discrepancy between the unit price and the total price on the completed Bid Schedule, the unit price will prevail, and the total price will be corrected.

#### **Proposal Price Certification**

In compliance with the attached specification, the undersigned understands the minimum scope requirements of the City of Tucker for this project.

The undersigned offers and agrees that if this proposal is accepted by the Mayor and City Council within one hundred twenty (120) days of the date of bid opening, that the undersigned will furnish any or all of the deliverables and additional services offered, at the quoted price, to the designated point(s) within the time specified.

COMPANY
ADDRESS
AUTHORIZED SIGNATURE
PRINT / TYPE NAME
CONTACT'S PHONE NUMBER
CONTACT'S EMAIL ADDRESS
GDOT PREQUALIFICATION CERTIFICATE NO.