


City of Tucker

Request for Proposal

RFP 2026-012

ON-CALL STORMWATER REPAIR AND
MAINTENANCE SERVICES



BID MANUAL

City of Tucker
1975 Lakeside Parkway, Suite 350
Tucker, Georgia 30084

**City of Tucker Request for Proposal
RFP 2026-012
On-Call Stormwater Repairs and Maintenance Services**

INVITATION: The City of Tucker is now accepting proposals for qualified contractors for on-call stormwater repairs and maintenance services throughout the City of Tucker under the direction of the City’s Public Works Department. Proposals will be accepted until the date and time listed below and will be awarded to the responsible and responsive proposers submitting the proposals which are deemed to be the most advantageous to the city. Addenda and updates to this bid manual will be posted on the City of Tucker website <http://tuckerga.gov/bids> or may be requested by emailing procurement@tuckerga.gov.

BID ACTIVITY SCHEDULE	
RFP Issued	March 17, 2026
Pre-Bid Conference	N/A
Deadline for Questions	April 7, 2026, at 1:00pm EST
Responses to Questions Posted (Addenda)	April 10, 2026
Proposal Deadline	April 23, 2026, at 1:00pm EST
Scoring by Evaluation Committee	April 24 – May 1, 2026
Award at Council Meeting	June 8, 2026 (Tentative)

SCOPE OF WORK: Refer to Exhibit A.

PRE-PROPOSAL CONFERENCE: N/A

QUESTIONS: Submit all questions in writing to procurement@tuckerga.gov. Reference RFP 2026-012 in the subject line of the email.

ADDENDA: Responses to the questions received will be by addenda and will be posted on the City website www.tuckerga.gov/bids. The signed acknowledgement issued with each addendum must be submitted with the proposal. It is the vendors’ responsibility to verify if any addenda were created.

SUBMITTAL REQUIREMENTS: Consultant shall submit RFP Response electronically to procurement@tuckerga.gov so that it is received no later than April 23, 2026 at 1:00pm EST with the subject line “Submittal: RFP 2026-012”. The email must contain the vendor’s contact information. The submittal shall be two PDF files:

1. The proposal shall be named “<Company Name>.RFP 2026-012.Bid Submittal.pdf”.
2. The Cost Proposal shall be named “<Company Name>.RFP 2026-012.Cost Proposal.pdf”

The submittal email will be opened to confirm receipt of the submittal; however, the attached PDF

files will remain unopened until the public opening.

PROPOSAL OPENING: All proposals received prior to the deadline will be opened publicly on April 23, 2026 at 1:00pm EST at Tucker City Hall located at 1975 Lakeside Parkway, Suite 350, Tucker GA. A listing of submittals received prior to the bid deadline will be posted on the City website www.tuckerga.gov/bids following the opening of the proposals.

DOCUMENT SUBMITTAL REQUIREMENTS:

1. Proposal, including understanding and approach, related experience and references, personnel qualifications.
2. Cost Proposal (form provided)
3. W-9 Form (form provided)
4. Certificate of Insurance for Verification Purposes
5. Notarized E-Verify Affidavit Form (form provided)
6. Notarized Oath of Non-Collusion (form provided)
7. Acknowledgement of Addendum issued with each Addendum.
8. Contact Information Form (form provided)

All responses must be received electronically by the Bid Deadline. (Addenda will show any schedule updates). No bids will be received orally, by phone, or by sealed paper documents. Only electronic bids in accordance with submittal requirement instructions will be accepted. Late bids will not be considered. Bids received after the bid deadline will be filed unopened. The City of Tucker reserves the right to reject any and all bids or any part, to waive any formalities to make an award and to re-advertise in the best interest of the City. The City reserves the right to consider past performance in determining the responsibility of bidders.

The City reserves the right to negotiate pricing with the top scoring bidder and may, in its discretion, award a contract to the responsible and responsive proposer submitting the proposal which is deemed to be the most advantageous to the City, price and other factors being considered, as described in the selection criteria.

SCOPE OF WORK
City of Tucker Request for Proposal
RFP 2026-012
On-Call Stormwater Repair and Maintenance Services

INTRODUCTION

The City of Tucker (City) is seeking a qualified contractors to provide On-Call Stormwater repair and maintenance services in accordance with terms outlined in this Request for Proposal. The City intends to select more than one contractor through a qualification-based selection process and intends to execute one-year contracts with three optional one-year extensions beginning July 1, 2026. Services will be requested by the City on an as-needed basis for which Task Order agreements will be issued.

PART ONE – SPECIFICATIONS

A. SCOPE OF WORK

1. The City of Tucker seeks to engage the services of a qualified contractor to provide stormwater repair and maintenance services throughout the City of Tucker under the direction of the City’s Public Works Department. Services shall include, but are not limited to:

- Culvert repair or replacement projects
- Trenchless Rehabilitation (cured in place pipe, spin cast, shotcrete, geopolymer injections)
- Storm System repair or replacement projects
- Streambank Stabilization
- Green Infrastructure Best Management Practices
- Erosion Control
- Clearing and Grading
- Slope stabilization
- Rip-rap placement
- Channel stabilization
- TV Video of storm drain systems
- Cleaning out pipes and detention ponds
- Repairing detention ponds
- Concrete driveways, sidewalks and curb and gutter systems
- Asphalt milling and paving
- Landscaping including grassing, mulch, shrubs and irrigation repairs
- Traffic control.

Typical project costs may range from \$10,000.00 to \$250,000.00. Contractors are required to have the capability of providing coordination with affected utilities, erosion and sediment control, tree protection, and traffic control as needed. The selected contractor (s) may also be requested to provide shop drawings for certain

repair items.

2. For all work provided to the City of Tucker, the contractor(s) shall meet the following requirements:
 - a. Comply with all OSHA and other applicable federal and state statutes, regulations and standards for workplace safety and all applicable laws regarding hazardous material.
 - b. Complete work in accordance with the Georgia Department of Transportation Standard Specifications unless otherwise directed.
 - c. Abide by any and all applicable professional standards, local codes, manufacturers' recommendations, and safe work practices
 - d. Dispose of all excavated construction materials and other waste. Disposal shall be in accordance with all applicable laws.
 - e. Contractors will secure any or all applicable permits or licenses to complete the work described.
 - f. Maintain a current Utility Contractor license with the State of Georgia.
 - g. Communicate with the Mayor, City Council and media services only through the Director or Deputy of Public Works, unless otherwise authorized.
3. Some projects will require work to be performed at night and/or weekends.
4. Contractor is responsible for storage of all materials and equipment.
5. The City will waive any permit fees for the individual projects.
6. The Contractor(s) is expected to attract and retain highly qualified employees in the appropriate number to maintain the required level of service. Employees will be expected to maintain a professional appearance and be courteous in their interaction with the public. The Contractor(s) shall maintain and implement documented training programs throughout the term of the contract to guarantee that the contractor's employees maintain applicable certifications.
7. Subcontractors may be utilized to fulfill the requirements of the scope outlined in this RFP. All subcontractors are expected to be held to the same standards as the selected contractor.

B. GENERAL CONDITIONS

In addition to the specifications referenced in Section A, these general conditions will be assigned during the performance of projected task orders and are intended to assist the bidder in setting proper unit rates for the bid form schedule:

1. The Contractor shall maintain access to all properties as necessary by detours or covering of the work area when not mobilized.
2. The Contract will be responsible for calling in and identifying utility locations. The City shall be notified of any potential utility conflicts. Exploratory utility excavation may be required with no additional payment.

C. SPECIAL CONDITIONS

In addition to the specifications referenced in Section A, these special conditions will be employed during the performance of projected task orders and are intended to assist the bidder in setting proper unit rates for the bid form schedule:

Mobilization

1. Mobilization will be defined under Section 151 of the 2021 Standard Specifications of the Georgia Department of Transportation. One mobilization shall include the cost of mobilization for all teams and subcontractors used by and at the discretion of the Contractor.
2. Out of scope hourly labor shall be paid only upon the prior approval of the city upon confirmation that the work performed is outside of the scope of the original contract.

Traffic Control

1. The Contractor shall furnish, install, maintain and remove all necessary traffic signs, barricades, lights, signals, cones and other traffic control devices, and all flagging and other means of traffic protection and guidance as required by Special Provision 150 of the Georgia Department of Transportation. Such work shall be considered incidental to the overall contract, and no additional compensation will be made.

TV Inspection and Jet-Vac Cleaning

1. CCTV of conduits and structures will be conducted after the required cleaning and will include an electronic media file and a condition report.
2. CCTV Standard Operating Procedures:
 - a. Contractor must use a self-propelled, color, pan-and-tilt camera system capable of:
 - Continuous viewing of pipe interior.
 - Zoom for close-up examination of defects.
 - Record high-resolution video with digital distance counter
 - b. Inspect each pipe segment joint-by-joint, noting:
 - Joint integrity and separations with 360 degree view of all pipe joints
 - Cracks, fractures, or surface spalling.
 - Deformities
 - Infiltration and exfiltration evidence.
 - Water Sag
 - Corrosion or wall deterioration.
 - Root intrusion or obstructions.
 - c. Provide defect coding per NASSCO PACP standards (or City-approved equivalent).
 - d. Document and map all deficiencies with exact location references.
3. The CCTV will be paid on a linear foot basis and will be adjusted based on accessibility as necessary.
4. Visual Inspection Pictures will be provided by location. The number of pictures necessary and type of pictures are variable and shall show conditions and actions that would support the quantities and line items charged under the contract.

5. Hydro-Excavation is to be charged only for time at the site and deployed at the site, not for travel time.

STORM LINE CLEANING

1. These line items contemplate the use of high velocity water jetting of silty and/or sandy sediment.
2. These line items include the cost of capture and haul off of any water and suspended sediment removed from the cleaned conduits and structures.
3. The contractor is responsible for providing their own water source and associated expenses and fees to provide that water. Any water taken from public hydrants must be metered through the utility provider.
4. The contractor must contain all removed material in leak-proof containers, transport them to an approved disposal facility or landfill licensed to receive such waste, and provide weigh tickets or disposal receipts with final report.

SPECIALTY STORM LINE CLEANING

1. For large debris, Specialty Storm Line Cleaning is paid on a linear foot basis of the distance upon which the material is moved after standard storm line cleaning (items 4 and 5). For root cleaning, the linear foot basis is the length of pipe affected with roots and length of pipe over which a root removal tool is utilized after standard storm line cleaning is employed.
2. The determination for Specialty Cleaning deployment and its quantity will be determined in conjunction with and subsequent to the standard storm line cleaning.

SPIRAL RIBBED CORRUGATED STEEL PIPE (SRCMP)

1. For this contract, the special standard of bedding shall be 57 stone to cover the crown of the pipe to a depth of six inches.
2. This line item includes all labor, material and equipment costs associated with excavation, placement, bedding, backfill and compaction.

REINFORCED CONCRETE PIPE (RCP)

1. Pipe to be Type 3, unless otherwise specified by bid documents.
2. This line item includes all labor, material and equipment costs associated with excavation, placement, bedding, backfill and compaction.

HIGH DENSITY POLYETHYLENE PIPE (HDPE)

1. For this contract, the special standard of bedding shall be 57 stone to cover the crown of the pipe to a depth of six inches.
2. This line item includes all labor, material and equipment costs associated with excavation, placement, bedding, backfill and compaction.

EROSION CONTROL

1. The alternative Type A Silt Fence specified is a double row of silt fence with a haybale placed between them. The silt fence will be deployed on outfalls for potential discharge not captured to be filtered.

MISCELLANEOUS ITEMS, 41.2: DEBRIS REMOVAL, TANDEM DUMP TRUCK

1. This line item is intended to pay for the use of the truck, including mileage. The quantity of material hauled will be measured and scheduled under a different line item

MISCELLANEOUS ITEMS, 41.5: REMOVE, SET ASIDE, AND RESET DRAINAGE STRUCTURE CONCRETE LID

1. This line item is intended to pay for the action of making more accessible for cleaning of structures and conduits drainage structures that have a monolithic concrete lid. This line item is not for demolition and replacement of the lid, but for removing it, setting it aside during cleaning activities, then resetting in its original location.
2. The removal of the concrete lid is at the discretion of the contractor only. If the contractor can perform the duties without having to remove such lid, then the contractor is not required as a condition of the contract to remove the lid.
3. The contractor takes liability in damage to the lid which may occur in removing and setting aside and shall replace the lid under this line item if the monolithic concrete lid is unable to be reset.

PART TWO – PROPOSAL SPECIFICATIONS

A. RFP STANDARD INFORMATION

1. Authority

This RFP is issued under the authority of the Purchasing Division of the City of Tucker. The RFP process is a procurement option allowing the award to be based on stated evaluation criteria. The RFP states the relative importance of all evaluation criteria. No other evaluation criteria, other than as outlined in the RFP, will be used.

2. Offeror Competition

The City encourages free and open competition among offerors. Whenever possible, the City will design specifications, proposals, and conditions to accomplish this objective, consistent with the necessity to satisfy the City’s need to procure technically sound, cost-effective services and supplies.

3. Receipt of Proposals and Public Inspection

(a) Public Information

All information received in response to this RFP, including copyrighted material, is deemed public information and will be made available for public viewing and copying shortly after the time for receipt of Proposals has passed with the following four exceptions, as permitted by law: (1) bona fide trade secrets meeting confidentiality requirements that have been properly marked, separated and documented; (2) matters involving individual safety as determined by the City of Tucker (3) any company financial information requested by the City of Tucker to determine Contractor

responsibility, unless prior written consent has been given by the offeror; and (4) other constitutional protections.

(b) Procurement Officer Review of Proposals

Upon opening the Proposals received in response to this RFP, the procurement officer in charge of the solicitation will review the Proposals and separate out any information that meets the referenced exceptions in Section 3.a. above, providing the following conditions have been met:

- Confidential information is clearly marked and separated from the rest of the Proposals.
- The Proposals do not contain confidential material in the cost or price section.
- An affidavit from an offeror’s legal counsel attesting to and explaining the validity of the trade secret claim is attached to each Proposal containing trade secrets.

Information separated out under this process will be available for review only by the procurement officer, the evaluation committee members, and limited other designees. Offerors must be prepared to pay all legal costs and fees associated with defending a claim for confidentiality in the event of a “right to know” (open records) request from another party.

4. Classification and Evaluation of Proposals

(a) Determination of Responsive or Non-responsive

All Proposals will initially be classified as either “responsive” or “non-responsive”. Proposals may be found non-responsive any time during the evaluation process or contract negotiation if any of the required information is not provided; the submitted price is found to be excessive or inadequate as measured by criteria stated in the RFP; or the Proposals is not within the plans and specifications described and required in the RFP. If a Proposal is found to be non-responsive, it will not be considered further.

(b) Determination of Responsibility

The procurement officer will determine whether an offeror has met the standards of responsibility. Such a determination may be made at any time during the evaluation process and through contract negotiation if information surfaces that would result in a determination of non-responsibility. If an offeror is found non-responsible, the determination must be in writing, made a part of the procurement file, and mailed to the affected offeror.

5. City’s Rights Reserved

Issuance of the RFP in no way constitutes a commitment by the City of Tucker to award

and execute a contract. Upon determination such actions would be in its best interest, the City, in its sole discretion, reserves the right to:

- cancel or terminate this RFP;
- reject any or all Proposals received in response to this RFP;
- waive any undesirable, inconsequential, or inconsistent provisions of this RFP which would not have significant impact on any proposal;
- not award if it is in the best interest of the City not to proceed with contract execution; or
- if awarded, terminate any contract if the City determines adequate City funds are not available.

6. General Information

1. Only those firms or teams with the necessary resources and a commitment to complete all work according to the specifications in the Scope of Work should submit a Proposal.
2. The City may select the best qualified contractor based on the information received from interested companies as a result of this solicitation.
3. The City of Tucker reserves the right to cancel any and all Request for Proposals at any time when it is determined to be in the best interest of the City.
4. The City of Tucker also reserves the right to increase, reduce, add or delete any item in this solicitation as deemed necessary.
5. It is the responsibility of all companies interested in submitting proposals for this advertisement to routinely check the posting on the website for any revisions to this RFP.
6. Incomplete submittals will not be considered. Late submittals will not be accepted.

B. PROPOSAL SUBMISSION AND EVALUATION

1. Preparation of Proposal

Each Proposal should be prepared simply and economically, avoiding the use of elaborate promotional materials beyond those sufficient to provide a complete presentation. If supplemental materials are a necessary part of the technical Proposals, the Offeror should reference these materials in the technical Proposals, identifying the document(s) and citing the appropriate section and page(s) to be reviewed.

2. Submittal Requirements

Failure to meet these requirements will result in the Proposals being determined “non-

responsive” and the entire submittal will be rejected. Unless otherwise specified, all requirements will count toward the page limit.

1. Submittals of company information and Proposals should be no more than fifteen (15) pages single-sided, 8½” x 11” pages in length. The 15-page limit does not include the cover page, tabs or title pages, and the required City forms. Any other supplemental information and pages outside the page limit will not be reviewed and will be considered as non-responsive to the page limit requirement.
2. Describe the company’s understanding of the proposed services as described in the Scope of Work. Each proposer should include a summary of their proposed management plan. The management plan should describe the number of crews and seasonal personnel, if any, proposed to accomplish the required work.
3. Document staff, experience and qualifications by describing experience with similar projects. Include the resumes/qualifications of key and critical personnel, to successfully complete the project objectives. Provide information on supervisory personnel to be assigned to this contract, including for the project superintendent and foreman. The proposal should identify any applicable certifications held by key personnel who will perform the work. Provide copies of appropriate required licenses to include Utility Licenses.
4. List and describe company experiences in the past five years that best match the Scope of Work. References for stated experiences shall be provided on the provided required form.
5. List specialty equipment or capabilities.
6. Submit the required forms provided as part of the bid package, which will not be counted toward the 15-page limit.

3. Evaluation Process

All responsive Proposals will be evaluated based on stated evaluation criteria. In scoring against stated criteria, the City may consider such factors as accepted industry standards and a comparative evaluation of all other qualified RFP responses in terms of differing price, quality, and contractual factors. These scores will be used to determine the most advantageous offering to the City.

Selection and award will be based on the offeror’s Proposals and other items outlined in this RFP. Submitted responses may not include references to information located

elsewhere, such as Internet websites or libraries, unless specifically requested. Information or materials presented by offerors outside the formal response or subsequent discussion/negotiation or “best and final offer,” if requested, will not be considered, will have no bearing on any award, and may result in the offeror being disqualified from further consideration.

4. Selection Criteria

The Evaluation Committee will evaluate the quality and completeness of each proposal as it addresses each requirement of the RFP. The RFP carries a total weight of 100 points. Proposals will be evaluated and scored in categories. Each category is assigned a maximum point value. Firms will be evaluated and rated based on the criteria below:

Proposed Management Plan and Approach – 20 points

The proposal shall outline the plan that the company will use to provide the most effective delivery of the requested services as outlined in the Scope of Work.

Qualifications and Similar Project Experience of the Company and Staff – 50 Points

The proposal must give a detailed report of related experiences that demonstrate the ability of the proposer to perform requested services as outlined in the Scope of Work. The proposal should include sufficient information to indicate the abilities, qualifications, and experience of all personnel who would be assigned to provide the required services.

Cost Proposal – 30 points

Proposers shall provide unit costs for basic services per the Cost Proposal Form provided. Task Order contracts will be issued with not to exceed amounts to be determined by the scope of the project and quotes based on the contracted rates.

5. Oral Presentations

The City reserves the right to invite Offerors to present their proposal to the Evaluation Team. Evaluation criteria for such presentations will be provided to offerors prior to presentations.

6. City’s Right to Investigate and Reject

The City may make such investigations as deemed necessary to determine the ability of the offeror to provide the supplies and/or perform the services specified.

C. TERMS AND CONDITIONS

1. The City reserves the right to amend this RFP prior to the due date. All amendments and additional information will be posted to the DOAS/Georgia Procurement Registry, and also the City's website at: www.tuckerga.gov/bids. Offerors are encouraged to check this website frequently.
2. A submitted Proposal may be withdrawn prior to the due date by a written request to the Procurement Manager. A request to withdraw a Proposals must be signed by an authorized individual.
3. No proposal may be withdrawn for a period of ninety (90) days after the time has been called on the date of the opening.
4. The cost for developing the Proposal is the sole responsibility of the Offeror. The City will not provide reimbursement for such costs.
5. If an Offeror has any existing client relationship that involves the City of Tucker, the Offeror must disclose each relationship.
6. It is the policy of the City of Tucker that minority business enterprises shall have a fair and equal opportunity to participate in the City purchasing process. Therefore, the City of Tucker encourages all minority business enterprises to compete for, win, and receive contracts for goods, services, and construction. Also, the City encourages all companies to sub-contract portions of any City contract to minority business enterprises. However, there is no DBE minimum goal for this project.
7. The City of Tucker adheres to the guidelines set forth in the Americans with Disabilities Act. Offerors should contact the Issuing Officer at least one day in advance if they require special arrangements when attending the Offeror's Conference, if any. The Georgia Relay Center at 1-800-255-0126 (TDD Only) or 1-800-255-0135 (Voice) will relay messages, in strict confidence, for the speech and hearing impaired.
8. The Contractor will comply with all City, State of Georgia, Title VI and Federal laws, rules, and regulations.
9. This RFP expressly limits acceptance to the terms stated below. Any additional or different terms proposed by Contractor and expressed in any form (acknowledgements, confirmations, invoices, catalogs, brochures, technical data sheets, etc.), whether before

or after Contractor's receipt of this contract, shall not be binding upon City. City's silence or acceptance of the Materials shall not constitute consent to such additional or different terms.

10. Contractor shall be responsible for and shall indemnify and hold City harmless from any and all claims, demands, costs, damages and expenses of whatever nature (including, without limitation, attorney's fees) relating to or arising from (a) Contractor's breach of any of the representations and warranties contained herein; (b) Contractor's failure to follow City's specifications; (c) Contractor's other breach of the terms hereof; or (d) any other act(s) or omissions(s) of Contractor, its employees, independent contractors, agents, and suppliers.

11. At City's option, Contractor shall either issue an appropriate credit or undertake, at Contractor's sole cost, corrections to materials made necessary by reason of Contractor's failure to follow City's specifications or Contractor's other breach of the terms hereof. The remedies afforded by City in this paragraph are in addition to, not in lieu of, any other remedy herein or provided by law or equity.

12. Contractor shall maintain the following insurance:

- Commercial General Liability coverage at their sole cost and expense with limits of not less than \$3,000,000 in combined single limits for bodily injury and/or property damage per occurrence, and such policies shall name the City of Tucker as an additional named insured.
- Statutory Workers Compensation and Employers Liability Insurance with limits of not less than \$1,000,000, which insurance must contain a waiver of subrogation against the City of Tucker and its affiliates.
- Commercial automobile liability insurance with limits of not less than \$1,000,000 combined single limit for bodily injury and/or property damage per occurrence, and such policies shall name the City of Tucker as an additional named insured.

All insurance shall be provided by an insurer(s) acceptable to City, and except for worker's compensation insurance, shall name the City as an additional insured; and shall provide for thirty (30) days prior notice of cancellation to City. Upon request, Contractor shall deliver to City a certificate or policy of insurance evidencing Contractor's compliance with this paragraph. Contractor shall abide by all terms and conditions of the insurance and shall do nothing to impair or invalidate the coverage.

13. Protection and Restoration of Property and Landscape:

- The contractor shall be responsible for the preservation of all public and private

property, crops, fish ponds, trees, monuments, highway signs and markers, fences, grassed and sodded areas, etc. along and adjacent to the highway, road or street, and shall use every precaution necessary to prevent damage or injury thereto, unless the removal, alteration, or destruction of such property is provided for under the contract.

- When or where any direct or indirect damage or injury is done to public or private property by or on account of any act, omission, neglect or misconduct in the execution of the work, or in consequence of the non-execution thereof by the contractor, he shall restore, at his/her own expense, such property to a condition similar or equal to that existing before such damage or injury was done, by repairing, rebuilding or otherwise restoring as may be directed, or she/he shall make good such damage or injury in an acceptable manner. The contractor shall correct all disturbed areas before retainage will be released.
- In the event the contractor (or subcontractors working for them) damage private property in the course of performing the Work, the contractor shall be responsible for making restitution. The contractor shall be responsible for communicating with property owner(s) directly with regard to all property damage claims. Contractor shall copy the City of Tucker on status of each claim until resolved.

14. Contractor shall always be acting as an independent contractor and not be considered or deemed to be an agent, employee, joint venture or partner of City. Contractors shall have no authority to contract for or bind City in any manner.
15. Contractor may not assign this agreement or any of its rights or responsibilities hereunder, without City's prior written consent.
16. Upon not less than two (2) days prior notice, City shall have the right to inspect and audit all records (including, without limitation, financial records) of Contractor which pertain to Contractor's fulfillment of this agreement and charge therefore.
17. In the event of Contractor's breach hereunder, City, in addition to the recovery of all monies and damages owed to City, shall be entitled to recover from Contractor the reasonable attorney's fees and court costs incurred by City because of such breach.

City of Tucker
RFP 2026-012 On-Call Stormwater Repair and Maintenance Services
Cost Proposal

UNIT PRICE SCHEDULE			
Item No.	Item	Unit	Unit Price
1	Project Administration General Conditions		
1.1	Mobilization	EA	\$
1.2	Out of Scope Work, Foreman	HR	\$
1.3	Out of Scope Work, Laborer	HR	\$
2	Traffic Control		
2.1	Traffic Control Minor 1 – Includes Continuous Crew of 2 Flagmen	Per Day	\$
2.2	Traffic Control Minor 2 – Includes Cones and Signage	Per Day	\$
2.3	Traffic Control Major - Included Road Closure Detours, Signs,	EA	\$
2.4	Mobile Electronic Detour Signs	Per Day	\$
3	TV Inspection and Jet-Vac Cleaning		
3.1	TV Storm Lines (includes DVD & Report)	LF	\$
3.2	Visual Inspection (Pictures), per Project (During Construction)	EA	\$
3.3	Hydro-Excavation complete (onsite hours only)	Per Hour	\$
4	Storm Line Cleaning (less than 25% full)		
4.1	12" PIPE - Cleaning less than 25% full	LF	\$
4.2	15" PIPE - Cleaning less than 25% full	LF	\$
4.3	18" PIPE - Cleaning less than 25% full	LF	\$
4.4	21" PIPE - Cleaning less than 25% full	LF	\$
4.5	24" PIPE - Cleaning less than 25% full	LF	\$
4.6	30" PIPE - Cleaning less than 25% full	LF	\$
4.7	36" PIPE - Cleaning less than 25% full	LF	\$
4.8	42" PIPE - Cleaning less than 25% full	LF	\$
4.9	48" PIPE - Cleaning less than 25% full	LF	\$
4.10	54" PIPE - Cleaning less than 25% full	LF	\$
4.11	60" PIPE - Cleaning less than 25% full	LF	\$
4.12	66" PIPE - Cleaning less than 25% full	LF	\$
4.13	72" PIPE - Cleaning less than 25% full	LF	\$
4.14	78" PIPE - Cleaning less than 25% full	LF	\$
4.15	84" PIPE - Cleaning less than 25% full	LF	\$
4.16	90" PIPE - Cleaning less than 25% full	LF	\$
4.17	96" PIPE - Cleaning less than 25% full	LF	\$
5	Storm Line Cleaning (25% full or greater)		

RFP 2026-012 On-Call Stormwater Repairs and Maintenance Services
 Cost Proposal

5.1	12" PIPE - Cleaning 25% full or greater	LF	\$
5.2	15" PIPE - Cleaning 25% full or greater	LF	\$
5.3	18" PIPE - Cleaning 25% full or greater	LF	\$
5.4	21" PIPE - Cleaning 25% full or greater	LF	\$
5.5	24" PIPE - Cleaning 25% full or greater	LF	\$
5.6	30" PIPE - Cleaning 25% full or greater	LF	\$
5.7	36" PIPE - Cleaning 25% full or greater	LF	\$
5.8	42" PIPE - Cleaning 25% full or greater	LF	\$
5.9	48" PIPE - Cleaning 25% full or greater	LF	\$
5.10	54" PIPE - Cleaning 25% full or greater	LF	\$
5.11	60" PIPE - Cleaning 25% full or greater	LF	\$
5.12	66" PIPE - Cleaning 25% full or greater	LF	\$
5.13	72" PIPE - Cleaning 25% full or greater	LF	\$
5.14	78" PIPE - Cleaning 25% full or greater	LF	\$
5.15	84" PIPE - Cleaning 25% full or greater	LF	\$
5.16	90" PIPE - Cleaning 25% full or greater	LF	\$
5.17	96" PIPE - Cleaning 25% full or greater	LF	\$
6	Specialty Storm Line Cleaning,		
	Applicable to heavy roots, Large diameter rocks, large debris, etc		
6.1	12" to 36" PIPE	LF	\$
6.2	42" to 96" PIPE	LF	\$
7	Spiral Rib Corr. Steel Pipe (14 ga. Tp. 2 Alum)		
	Includes excavation, bedding, backfill, & compaction		
7.1	15" SRCMP	LF	\$
7.2	18" SRCMP	LF	\$
7.3	24" SRCMP	LF	\$
7.4	30" SRCMP	LF	\$
7.5	36" SRCMP	LF	\$
7.6	42" SRCMP	LF	\$
7.7	48" SRCMP	LF	\$
7.8	54" SRCMP	LF	\$
7.9	60" SRCMP	LF	\$
7.10	72" SRCMP	LF	\$
7.11	84" SRCMP	LF	\$
7.12	96" SRCMP	LF	\$
8	Reinforced Concrete Pipe (RCP) Tp 3		
	Includes excavation, bedding, backfill, & compaction		
8.1	18" RCP, Type 3	LF	\$
8.2	24" RCP, Type 3	LF	\$
8.3	30" RCP, Type 3	LF	\$
8.4	36" RCP, Type 3	LF	\$

RFP 2026-012 On-Call Stormwater Repairs and Maintenance Services
 Cost Proposal

8.5	42" RCP, Type 3	LF	\$
8.6	48" RCP, Type 3	LF	\$
8.7	54" RCP, Type 3	LF	\$
8.8	60" RCP, Type 3	LF	\$
8.9	72" RCP, Type 3	LF	\$
8.10	18" RCP, Type 4	LF	\$
8.11	24" RCP, Type 4	LF	\$
8.12	30" RCP, Type 4	LF	\$
8.13	36" RCP, Type 4	LF	\$
8.14	42" RCP, Type 4	LF	\$
8.15	48" RCP, Type 4	LF	\$
8.16	54" RCP, Type 4	LF	\$
8.17	60" RCP, Type 4	LF	\$
8.18	72" RCP, Type 4	LF	\$
8.19	18" RCP, Type 5	LF	\$
8.20	24" RCP, Type 5	LF	\$
8.21	30" RCP, Type 5	LF	\$
8.22	36" RCP, Type 5	LF	\$
8.23	42" RCP, Type 5	LF	\$
8.24	48" RCP, Type 5	LF	\$
8.25	54" RCP, Type 5	LF	\$
8.26	60" RCP, Type 5	LF	\$
8.27	72" RCP, Type 5	LF	\$
9	High Density Polyethylene Pipe (HDPE)		
	Includes excavation, bedding, backfill, & compaction		
9.1	15" HDPE	LF	\$
9.2	18" HDPE	LF	\$
9.3	24" HDPE	LF	\$
9.4	30" HDPE	LF	\$
9.5	36" HDPE	LF	\$
9.6	42" HDPE	LF	\$
9.7	48" HDPE	LF	\$
9.8	54" HDPE	LF	\$
9.9	60" HDPE	LF	\$
9.10	72" HDPE	LF	\$
10	Additional Depth for Pipes		
	Includes excavation, bedding, backfill, & compaction		
10.1	Invert >8.1' to 12'	LF	\$
10.2	Invert >12'	LF	\$
11	Metal Flared End Sections: (GADOT STD 1120)		

RFP 2026-012 On-Call Stormwater Repairs and Maintenance Services
 Cost Proposal

11.1	18" MFES 16 Gauge In Place	EA	\$
11.2	24" MFES 14 Gauge In Place	EA	\$
11.3	30" MFES 14 Gauge In Place	EA	\$
11.4	36" MFES 14 Gauge In Place	EA	\$
11.5	42" MFES 14 Gauge In Place	EA	\$
12	Metal Safety End Sections: 4:1 Slope GADOT Special Detail		
12.1	18" SFES 16 Gauge In Place	EA	\$
12.2	24" SFES 16 Gauge In Place	EA	\$
12.3	30" SFES 12 Gauge In Place	EA	\$
12.4	36" SFES 12 Gauge In Place	EA	\$
12.5	42" SFES 12 Gauge In Place	EA	\$
12.6	48" SFES 12 Gauge In Place	EA	\$
13	Precast Concrete Flared End Section		
13.1	18" CFES In Place	EA	\$
13.2	24" CFES In Place	EA	\$
13.3	30" CFES In Place	EA	\$
13.4	36" CFES In Place	EA	\$
13.5	42" CFES In Place	EA	\$
14	Precast Concrete Safety Flared End Section		
14.1	18" CFSES In Place	EA	\$
14.2	24" CFSES In Place	EA	\$
14.3	30" CFSES In Place	EA	\$
14.4	36" CFSES In Place	EA	\$
14.5	42" CFSES In Place	EA	\$
15	Precast Headwalls		
15.1	Precast Headwall for 18" Pipe	EA	\$
15.2	Precast Headwall for 24" Pipe	EA	\$
15.3	Precast Headwall for 30" Pipe	EA	\$
15.4	Precast Headwall for 36" Pipe	EA	\$
15.5	Precast Headwall for 42" Pipe	EA	\$
15.6	Precast Headwall for 48" Pipe	EA	\$
15.7	Precast Headwall for 18" Pipe w/ Velocity Dissipater	EA	\$
15.8	Precast Headwall for 24" Pipe w/ Velocity Dissipater	EA	\$
15.9	Precast Headwall for 30" Pipe w/ Velocity Dissipater	EA	\$
15.10	Precast Headwall for 36" Pipe w/ Velocity Dissipater	EA	\$
15.11	Precast Headwall for 42" Pipe w/ Velocity Dissipater	EA	\$
15.12	Precast Headwall for 48" Pipe w/ Velocity Dissipater r	EA	\$

RFP 2026-012 On-Call Stormwater Repairs and Maintenance Services
 Cost Proposal

16	Cast-in-Place Concrete Headwall		
16.1	Cast-in-Place Concrete Headwall- Dekalb Std. Detail	CY	\$
16.2	Cast-in-Place Concrete Headwall- GDOT Std. Det. 1125	CY	\$
17	Brick-in-Place Headwall		
17.1	Brick Headwall for 18" Pipe	EA	\$
17.2	Brick Headwall for 24" Pipe	EA	\$
17.3	Brick Headwall for 30" Pipe	EA	\$
17.4	Brick Headwall for 36" Pipe	EA	\$
17.5	Brick Headwall for 42" Pipe	EA	\$
17.6	Brick Headwall for 48" Pipe	EA	\$
17.7	Brick Headwall for 54" Pipe	EA	\$
17.8	Brick Headwall for 60" Pipe	EA	\$
17.9	Brick Headwall for 72" Pipe	EA	\$
18	Rubble Masonry Headwalls (per Dekalb Co. or Gwinnett Co. Standards)		
18.1	Rubble Headwall for 18" Pipe	EA	\$
18.2	Rubble Headwall for 24" Pipe	EA	\$
18.3	Rubble Headwall for 30" Pipe	EA	\$
18.4	Rubble Headwall for 36" Pipe	EA	\$
19	Internal Pipe Point Repairs -Excavation Involved (Including cutting, trimming, jacking, etc.)		
19.1	18" Diameter	LF	\$
19.2	24" Diameter	LF	\$
19.3	30" Diameter	LF	\$
19.4	36" Diameter	LF	\$
19.5	42" Diameter	LF	\$
19.6	48" Diameter	LF	\$
19.7	60" Diameter	LF	\$
19.8	72" Diameter	LF	\$
19.9	96" Diameter	LF	\$
	Internal Pipe Point Repairs -trenchless methodology (Including cutting, trimming, jacking, etc.)		
19.10	18" Diameter	LF	\$
19.11	24" Diameter	LF	\$
19.12	30" Diameter	LF	\$
19.13	36" Diameter	LF	\$
19.14	42" Diameter	LF	\$
19.15	48" Diameter	LF	\$
19.16	60" Diameter	LF	\$
19.17	72" Diameter	LF	\$
19.18	96" Diameter	LF	\$
	Invert Paving in Existing Metal Pipe		

RFP 2026-012 On-Call Stormwater Repairs and Maintenance Services
 Cost Proposal

19.19	30" Diameter	LF	\$
19.20	36" Diameter	LF	\$
19.21	42" Diameter	LF	\$
19.22	48" Diameter	LF	\$
19.23	60" Diameter	LF	\$
19.24	72" Diameter	LF	\$
19.25	96" Diameter	LF	\$
	Storm Drain Catch Basins		
20	New Std. Catch Basins shall be GDOT 1033/1034 or Dekalb Stds.		
20.1	4'-Dia. Brick Catch Basin GADOT 1033/1034	VF	\$
20.2	5'-Dia. Brick Catch Basin GADOT 1033/1034	VF	\$
20.3	6'-Dia. Brick Catch Basin GADOT 1033/1034	VF	\$
20.4	4'-Dia. Precast Catch Basin GADOT 1033/1034	VF	\$
20.5	5'-Dia. Precast Catch Basin GADOT 1033/1034	VF	\$
20.6	6'-Dia. Precast Catch Basin GADOT 1033/1034	VF	\$
	Storm Drain Inlets & Manholes		
	New Std. Inlet shall be GDOT 1019/1011 or Dekalb Stds.		
21	Brick Square Inlets		
21.1	4' Square Brick Inlet w/ Flush Gate Only	VF	\$
21.2	5' Square Brick Inlet w/ Flush Gate Only	VF	\$
21.3	6' Square Brick Inlet w/ Flush Gate Only	VF	\$
21.4	4' Square Brick Inlet w/ Curb Hood & Grate	VF	\$
21.5	5' Square Brick Inlet w/ Curb Hood & Grate	VF	\$
21.6	6' Square Brick Inlet w/ Curb Hood & Grate	VF	\$
21.7	4' Square Brick Inlet w/ Pedestal Top & Grate	VF	\$
21.8	5' Square Brick Inlet w/ Pedestal Top & Grate	VF	\$
21.9	6' Square Brick Inlet w/ Pedestal Top & Grate	VF	\$
22	Brick Round Inlets		
22.1	4' Round Brick Inlet w/ Flush Gate Only	VF	\$
22.2	5' Round Brick Inlet w/ Flush Gate Only	VF	\$
22.3	6' Round Brick Inlet w/ Flush Gate Only	VF	\$
22.4	4' Round Brick Inlet w/ Curb Hood & Grate	VF	\$
22.5	5' Round Brick Inlet w/ Curb Hood & Grate	VF	\$
22.6	6' Round Brick Inlet w/ Curb Hood & Grate	VF	\$

RFP 2026-012 On-Call Stormwater Repairs and Maintenance Services
 Cost Proposal

22.7	4' Round Brick Inlet w/ Pedestal Top & Grate or MH Ring & Cover	VF	\$
22.8	5' Round Brick Inlet w/ Pedestal Top & Grate or MH Ring & Cover	VF	\$
22.9	6' Round Brick Inlet w/ Pedestal Top & Grate or MH Ring & Cover	VF	\$
23	Precast Square Inlets		
23.1	4' Square Precast Inlet w/ Flush Grate Only	VF	\$
23.2	5' Square Precast Inlet w/ Flush Grate Only	VF	\$
23.3	6' Square Precast Inlet w/ Flush Grate Only	VF	\$
23.4	4' Square Precast Inlet w/ Curb Hood & Grate	VF	\$
23.5	5' Square Precast Inlet w/ Curb Hood & Grate	VF	\$
23.6	6' Square Precast Inlet w/ Curb Hood & Grate	VF	\$
23.7	4' Square Precast Inlet w/ Pedestal Top & Grate	VF	\$
23.8	5' Square Precast Inlet w/ Pedestal Top & Grate	VF	\$
23.9	6' Square Precast Inlet w/ Pedestal Top & Grate	VF	\$
24	Precast Round Inlets		
24.1	4' Round Precast Inlet w/ Flush Grate Only	VF	\$
24.2	5' Round Precast Inlet w/ Flush Grate Only	VF	\$
24.3	6' Round Precast Inlet w/ Flush Grate Only	VF	\$
24.4	4' Round Precast Inlet w/ Curb Hood & Grate	VF	\$
24.5	5' Round Precast Inlet w/ Curb Hood & Grate	VF	\$
24.6	6' Round Precast Inlet w/ Curb Hood & Grate	VF	\$
24.7	4' Round Precast Inlet w/ Pedestal Top & Grate or MH Ring & Cover	VF	\$
24.8	5' Round Precast Inlet w/ Pedestal Top & Grate or MH Ring & Cover	VF	\$
24.9	6' Round Precast Inlet w/ Pedestal Top & Grate or MH Ring & Cover	VF	\$
25	Square Brick Manholes		
25.1	4' Square Brick Manhole w/ Manhole Ring & Cover	VF	\$
25.2	5' Square Brick Manhole w/ Manhole Ring & Cover	VF	\$
25.3	6' Square Brick Manhole w/ Manhole Ring & Cover	VF	\$
26	Round Brick Manholes		
26.1	4' Round Brick Manhole w/ Manhole Ring & Cover	VF	\$
26.2	5' Round Brick Manhole w/ Manhole Ring & Cover	VF	\$
26.3	6' Round Brick Manhole w/ Manhole Ring & Cover	VF	\$
27	Square Precast Manholes		

RFP 2026-012 On-Call Stormwater Repairs and Maintenance Services
 Cost Proposal

27.1	4' Square Precast Manhole w/ Manhole Ring & Cover	VF	\$
27.2	5' Square Precast Manhole w/ Manhole Ring & Cover	VF	\$
27.3	6' Square Precast Manhole w/ Manhole Ring & Cover	VF	\$
28	Round Precast Manholes		
28.1	4' Round Precast Manhole w/ Manhole Ring & Cover	VF	\$
28.2	5' Round Precast Manhole w/ Manhole Ring & Cover	VF	\$
28.3	6' Round Precast Manhole w/ Manhole Ring & Cover	VF	\$
29	Miscellaneous & Special Structures/Components		
29.1	4' Dia. Pedestal Top with Inlet Frame and Grate	EA	\$
29.2	5' Dia. Pedestal Top with Inlet Frame and Grate	EA	\$
29.3	6' Dia. Pedestal Top with Inlet Frame and Grate	EA	\$
29.4	4' Dia. Pedestal Top with MH Ring & Cover	EA	\$
29.5	5' Dia. Pedestal Top with MH Ring & Cover	EA	\$
29.6	6' Dia. Pedestal Top with MH Ring & Cover	EA	\$
29.7	4' Dia Round to Square	EA	\$
29.8	5' Dia Round to Square	EA	\$
29.9	6' Dia Round to Square	EA	\$
29.10	Precast Replacement Top Only for Single Wing, w/ Ring & Cover, not including throat	EA	\$
29.11	Precast Replacement Top Only for Double Wing w/Ring & Cover, not including throat	EA	\$
29.12	4'x4' Precast Top w/ MH Ring and Cover	EA	\$
29.13	5'x5' Precast Top w/ MH Ring and Cover	EA	\$
29.14	Cast-in-Place Top Only w/Ring & Cover	EA	\$
29.15	Cast-in-Place Throat Only	EA	\$
29.16	Invert Installation, 4' Diameter	EA	\$
29.17	Invert Installation, 5' Diameter	EA	\$
29.18	Invert Installation, 6' Diameter	EA	\$
29.19	Invert Installation, other configurations	SF	\$
29.20	Uncover Buried Junction Box (<4')	EA	\$
29.21	Uncover Buried Junction Box (4'-7.9')	EA	\$
29.22	Uncover Buried Junction Box (8'-11.9')	EA	\$
29.23	Uncover Buried Junction Box (>12')	EA	\$
29.24	Brick Opening of Stormline 18" to 30" (Abandonment)	EA	\$
29.25	Brick Opening of Stormline 36" to 54" (Abandonment)	EA	\$
29.26	Flowable Fill Abandonment (Pumping included if needed)	CY	\$
29.27	Pressure Grouting (Pumping included if needed)	CY	\$

RFP 2026-012 On-Call Stormwater Repairs and Maintenance Services
 Cost Proposal

29.28	Spring Box, GDOT Std 9031L2, 4' Square or Diameter	EA	\$
29.29	Spring Box, GDOT Std 9031L2, 5' Square or Diameter	EA	\$
29.30	Spring Box, GDOT Std 9031L2, 6' Square or Diameter	EA	\$
30	Grout Connection To Structure		
30.1	12" Grout Each End to Structure	EA	\$
30.2	15" Grout Each End to Structure	EA	\$
30.3	18" Grout Each End to Structure	EA	\$
30.4	21" Grout Each End to Structure	EA	\$
30.5	24" Grout Each End to Structure	EA	\$
30.6	27" Grout Each End to Structure	EA	\$
30.7	30" Grout Each End to Structure	EA	\$
30.8	36" Grout Each End to Structure	EA	\$
30.9	42" Grout Each End to Structure	EA	\$
30.10	48" Grout Each End to Structure	EA	\$
30.11	54" Grout Each End to Structure	EA	\$
30.12	60" Grout Each End to Structure	EA	\$
30.13	66" Grout Each End to Structure	EA	\$
30.14	72" Grout Each End to Structure	EA	\$
30.15	Grout all joint, cracks & holes, in structures, complete (structures 8' deep or less)	EA	\$
30.16	Grout all joint, cracks & holes, in structures, complete (structures greater than 8' deep)	EA	\$
	LINING REQUIREMENTS		
31	Cured In Place Pipe Liner (CIPP) - (12' or less in depth)		
	Includes Pre and Post Television Inspections during lining		
31.1	12" PIPE - 6.0mm (.236")	LF	\$
31.2	15" PIPE - 7.5mm (.295")	LF	\$
31.3	18" PIPE - 9.0mm (.354")	LF	\$
31.4	21" PIPE - 9.0mm (.354")	LF	\$
31.5	24" PIPE - 11.0mm (.433")	LF	\$
31.6	30" PIPE - 13.5mm (.532")	LF	\$
31.7	36" PIPE - 16.5mm (.650")	LF	\$
31.8	42" PIPE - 19.5mm (.768")	LF	\$
31.9	48" PIPE - 22.5mm (.886")	LF	\$
31.10	54" PIPE - 25.5mm (1.004")	LF	\$
31.11	60" PIPE - 28.5mm (1.122")	LF	\$
31.12	66" PIPE - 31.5mm (1.240")	LF	\$
31.13	72" PIPE - 34.5mm (1.358")	LF	\$
31.14	78" PIPE - 37.5mm (1.476")	LF	\$
31.15	84" PIPE - 42.0mm (1.654")	LF	\$
31.16	90" PIPE - 45.0mm (1.772")	LF	\$
31.17	96" PIPE - 48.0mm (1.900")	LF	\$

RFP 2026-012 On-Call Stormwater Repairs and Maintenance Services
 Cost Proposal

31.18	Additional Cost Per 1.5mm (.0591") Thickness - 12" PIPE	LF	\$
31.19	Additional Cost Per 1.5mm (.0591") Thickness - 15" PIPE	LF	\$
31.20	Additional Cost Per 1.5mm (.0591") Thickness - 18" PIPE	LF	\$
31.21	Additional Cost Per 1.5mm (.0591") Thickness - 21" PIPE	LF	\$
31.22	Additional Cost Per 1.5mm (.0591") Thickness - 24" PIPE	LF	\$
31.23	Additional Cost Per 1.5mm (.0591") Thickness - 30" PIPE	LF	\$
31.24	Additional Cost Per 1.5mm (.0591") Thickness - 36" PIPE	LF	\$
31.25	Additional Cost Per 1.5mm (.0591") Thickness - 42" PIPE	LF	\$
31.26	Additional Cost Per 1.5mm (.0591") Thickness - 48" PIPE	LF	\$
31.27	Additional Cost Per 1.5mm (.0591") Thickness - 54" PIPE	LF	\$
31.28	Additional Cost Per 1.5mm (.0591") Thickness - 60" PIPE	LF	\$
31.29	Additional Cost Per 1.5mm (.0591") Thickness - 66" PIPE	LF	\$
31.30	Additional Cost Per 1.5mm (.0591") Thickness - 72" PIPE	LF	\$
31.31	Additional Cost Per 1.5mm (.0591") Thickness - 78" PIPE	LF	\$
31.32	Additional Cost Per 1.5mm (.0591") Thickness - 84" PIPE	LF	\$
31.33	Additional Cost Per 1.5mm (.0591") Thickness - 90" PIPE	LF	\$
31.34	Additional Cost Per 1.5mm (.0591") Thickness - 96" PIPE	LF	\$
32	Inversion Setup		
32.1	Inversion Setup Charge 15"- 36" CIPP	EACH	\$
32.2	Inversion Setup Charge 42"- 60" CIPP	EACH	\$
32.3	Inversion Setup Charge 66"- 96" CIPP	EACH	\$
33	Spin Cast / Geopolimer Lining		
33.1	30" Cent. Spin Cast Lining	LF	\$
33.2	36" Cent. Spin Cast Lining	LF	\$
33.3	42" Cent. Spin Cast Lining	LF	\$
33.4	48" Cent. Spin Cast Lining	LF	\$
33.5	54" Cent. Spin Cast Lining	LF	\$
33.6	60" Cent. Spin Cast Lining	LF	\$
33.7	66" Cent. Spin Cast Lining	LF	\$
33.8	72" Cent. Spin Cast Lining	LF	\$
34	Slip Lining w/HDPE, Includes Grouting		
34.1	15" Slip Lining	LF	\$
34.2	18" Slip Lining	LF	\$

RFP 2026-012 On-Call Stormwater Repairs and Maintenance Services
 Cost Proposal

34.3	24" Slip Lining	LF	\$
34.4	30" Slip Lining	LF	\$
34.5	36" Slip Lining	LF	\$
34.6	42" Slip Lining	LF	\$
34.7	48" Slip Lining	LF	\$
34.8	54" Slip Lining	LF	\$
34.9	60" Slip Lining	LF	\$
35	Slip Lining with Snap-Tite HDPE (AASHTO M326), Include Grouting		
35.1	12.75" OD	LF	\$
35.2	14" OD	LF	\$
35.3	18" OD	LF	\$
35.4	20" OD	LF	\$
35.5	24" OD	LF	\$
35.6	32" OD	LF	\$
35.7	36" OD	LF	\$
35.8	42" OD	LF	\$
35.9	48" OD	LF	\$
35.10	54" OD	LF	\$
35.11	63" OD	LF	\$
36	Styrene Free - Cured In Place Pipe Liner (12' or Less in Depth)		
36.1	Styrene Free 12" PIPE - 7.5mm	LF	\$
36.2	Styrene Free 15" PIPE - 7.5mm	LF	\$
36.3	Styrene Free 18" PIPE - 8.0mm	LF	\$
36.4	Styrene Free 21" PIPE - 10.0mm	LF	\$
36.5	Styrene Free 24" PIPE - 10.0mm	LF	\$
36.6	Styrene Free 30" PIPE - 12.5mm	LF	\$
36.7	Styrene Free 36" PIPE - 16.0mm	LF	\$
36.8	Styrene Free 42" PIPE - 18.0mm	LF	\$
36.9	Styrene Free 48" PIPE - 21.0mm	LF	\$
36.10	Styrene Free 54" PIPE - 24.0mm	LF	\$
36.11	Styrene Free 60" PIPE - 28.5mm	LF	\$
36.12	Styrene Free 66" PIPE - 30.0mm	LF	\$
36.13	Styrene Free 72" PIPE - 32.5mm	LF	\$
36.14	Styrene Free 78" PIPE - 33.0mm	LF	\$
36.15	Styrene Free 84" PIPE - 35.5mm	LF	\$
36.16	Styrene Free 90" PIPE - 38.0mm	LF	\$
36.17	Styrene Free 96" PIPE - 40.5mm	LF	\$
36.18	Additional Cost Per 1.5mm Thickness Styrene Free - 12" PIPE	LF	\$
36.19	Additional Cost Per 1.5mm Thickness Styrene Free - 15" PIPE	LF	\$
36.20	Additional Cost Per 1.5mm Thickness Styrene Free - 18" PIPE	LF	\$

RFP 2026-012 On-Call Stormwater Repairs and Maintenance Services
 Cost Proposal

36.21	Additional Cost Per 1.5mm Thickness Styrene Free - 21" PIPE	LF	\$
36.22	Additional Cost Per 1.5mm Thickness Styrene Free - 24" PIPE	LF	\$
36.23	Additional Cost Per 1.5mm Thickness Styrene Free - 30" PIPE	LF	\$
36.24	Additional Cost Per 1.5mm Thickness Styrene Free - 36" PIPE	LF	\$
36.25	Additional Cost Per 1.5mm Thickness Styrene Free - 42" PIPE	LF	\$
36.26	Additional Cost Per 1.5mm Thickness Styrene Free - 48" PIPE	LF	\$
36.27	Additional Cost Per 1.5mm Thickness Styrene Free - 54" PIPE	LF	\$
36.28	Additional Cost Per 1.5mm Thickness Styrene Free - 60" PIPE	LF	\$
36.29	Additional Cost Per 1.5mm Thickness Styrene Free - 66" PIPE	LF	\$
36.30	Additional Cost Per 1.5mm Thickness Styrene Free - 72" PIPE	LF	\$
36.31	Additional Cost Per 1.5mm Thickness Styrene Free - 78" PIPE	LF	\$
36.32	Additional Cost Per 1.5mm Thickness Styrene Free - 84" PIPE	LF	\$
36.33	Additional Cost Per 1.5mm Thickness Styrene Free - 90" PIPE	LF	\$
36.34	Additional Cost Per 1.5mm Thickness Styrene Free - 96" PIPE	LF	\$
37	Cast in Place Concrete		
37.1	Paved Ditch/Swale (4" Thick)	SY	\$
37.2	Driveway 4" Concrete (Residential w/4" of GAB included)	SY	\$
37.3	Driveway 6" Concrete (Commercial w/6" of GAB included)	SY	\$
37.4	Driveway 8" Concrete (Commercial w/6" of GAB included)	SY	\$
37.5	Regular Duty Sidewalk (4" Thick, 3000 psi) <5' length	SY	\$
37.6	Regular Duty Sidewalk (4" Thick, 3000 psi) 5'-10' length	SY	\$
37.7	Regular Duty Sidewalk (4" Thick, 3000 psi) 11'-20' length	SY	\$
37.8	Medium Duty Sidewalk (5" Thick, Fiber Reinf. 3000 psi) <5' length	SY	\$
37.9	Medium Duty Sidewalk (5" Thick, Fiber Reinf. 3000 psi) 5'-10' length	SY	\$
37.10	Medium Duty Sidewalk (5" Thick, Fiber Reinf. 3000 psi) 11'-20' length	SY	\$
37.11	Heavy Duty Sidewalk (6" w/Wire Mesh, & 3500 psi) <5' length	SY	\$
37.12	Heavy Duty Sidewalk (6" w/Wire Mesh, & 3500 psi) 5'-10' length	SY	\$
37.13	Heavy Duty Sidewalk (6" w/Wire Mesh, & 3500 psi) 11'-20' length	SY	\$
37.14	Remove Concrete Curb and Gutter, all sizes	LF	
37.15	Curb & Gutter 6"x24"x12" High Back	LF	\$
37.16	Curb & Gutter 6"x30"x12" High Back	LF	\$

RFP 2026-012 On-Call Stormwater Repairs and Maintenance Services
 Cost Proposal

37.17	Curb and Gutter 6"x24"x10" Roll Back	LF	\$
37.18	Straight Header Curb	LF	\$
37.19	Concrete Drainage Structures Poured In Place w/ Steel	CY	\$
37.20	High Early Strength (5000 psi)	CY	\$
37.21	ADA Ramp	EA	\$
38	Road Restoration		
38.1	Graded Aggregate Base	Ton	\$
38.2	Crusher Run Stone	Ton	\$
38.3	Asphaltic Concrete Binder Course	Ton	\$
38.4	Asphaltic Concrete Surface Course	Ton	\$
38.5	Mill Asphaltic Concrete Pavement, 1-1/2" depth	SY	
38.6	Mill Asphaltic Concrete Pavement, 4" depth	SY	
38.7	Mill Asphaltic Concrete Pavement, variable depth, <4" depth	SY	
38.8	Tack Coat	Gal	\$
38.9	2" Asph. Con. Hot Mix for Trench Cap	Ton	\$
38.10	8" Thick 3000 psi- Concrete Trench Cap	CY	\$
39	Earthwork & Grading		
39.1	Tree Removal 6"-12'"	EA	\$
39.2	Tree Removal 13"-23"	EA	\$
39.3	Tree Removal >23"	EA	\$
39.4	Clear & Grubbing	SY	\$
39.5	Channel Excavation	CY	\$
39.6	Additional Excavation	CY	\$
39.7	Haul-In Structural Fill Material	CY	\$
39.8	Haul-Off Soil Material	CY	\$
39.9	Finish Grading	SY	\$
39.10	Trench Rock Excavation	CY	\$
39.11	Debris Removal	CY	\$
40	Erosion Control		
40.1	Stone Rip Rap Type I In Place	TON	\$
40.2	Stone Rip Rap Type III In Place	TON	\$
40.3	Stone Grouted Rip Rap 12" Installed	SY	\$
40.4	Install & Remove Type A Silt Fence	LF	\$
40.5	Fleximat Ditch Lining	SY	\$
40.6	Install & Remove Type C Silt Fence	LF	\$
40.7	Install & Remove Type C Silt Fence - Alternative	LF	\$
40.8	Inlet Sediment Traps - Silt Fence Sd2	EA	\$
40.9	Rock Bags for curb inlet/CB sediment Protection	EA	\$
40.10	Install & Remove Orange Tree Save Fence	LF	\$
40.11	Gabion Structures (GDOT Section 626 & 809)	SF	\$
40.12	Permanent Soil Reinf Mat Installed	SY	\$

RFP 2026-012 On-Call Stormwater Repairs and Maintenance Services
 Cost Proposal

40.13	Organic Material Fiber Blanket Installed	SY	\$
40.14	Seed & Straw (Permanent Grassing)	SY	\$
40.15	Seed & Straw (Temporary Grassing)	SY	\$
40.16	Sodding Complete-Fescue	SY	\$
40.17	Sodding Complete-Bermuda	SY	\$
40.18	Sodding Complete-Zoyzia	SY	\$
40.19	Sodding Complete-Centipede	SY	\$
40.20	Topsoil Compete	CY	\$
40.21	Pine Straw	EA	\$
40.22	Straw Mulch	SY	\$
40.23	Tree Replacement 1-1/2" Harwood, installed	EA	\$
40.24	Tree Replacement 2-1/2" Hardwood, installed	EA	\$
40.25	Tree Replacement 1-1/2" Harwood, installed	EA	\$
40.26	Tree Replacement 2-1/2" Pine, installed	EA	\$
40.27	Shrub Replacement: 1 gallon, installed	EA	\$
40.28	Shrub Replacement: 3 gallon, installed	EA	\$
40.29	Shrub Replacement: 5 gallon, installed	EA	\$
40.30	Shrub Replacement: 7 gallon, installed	EA	\$
40.31	Shrub Replacement: 15 gallon, installed	EA	\$
40.32	Shrub Replacement: 30 gallon, installed	EA	\$
40.33	Bedding Flower per flat of 18, installed	SY	\$
40.34	Irrigation Line Replacement	LF	\$
40.35	Irrigation Head Replacement (Builder Grade)	EA	\$
41	Miscellaneous Items		
41.1	Connect to Existing Structures	EA	\$
41.2	Debris Removal, Tandem Dump Truck	Per Load / Trip	\$
41.3	Removal of Existing Non Drainage Structure	EA	\$
41.4	Removal of Existing Drainage Structure	EA	\$
41.5	Remove, Set Aside, and Reset Drainage Structure Concrete Lid	EA	
41.6	Remove Existing Pipe all Types and Sizes	LF	\$
41.7	Saw Cut Existing Pavements	LF	\$
41.8	Stone #57	TON	\$
41.9	Surge Stone	TON	\$
41.10	No. 3's and 4's Stone	TON	\$
41.11	Roll-Off Dumpster	EA	\$
41.12	Relocate Existing Residential Water Meter, Including Box	EA	\$
41.13	Install Thermal Barrier to protect water service line or other utilities	SF	\$
41.14	Bypass pumping setup-equipment and hose placement	EA	\$
41.15	4" Pumping Operation Time	HR	\$
41.16	6" Pumping Operation Time	HR	\$
41.17	8" Pumping Operation Time	HR	\$
41.18	10" Pumping Operation Time	HR	\$

RFP 2026-012 On-Call Stormwater Repairs and Maintenance Services
 Cost Proposal

41.19	12" Pumping Operation Time	HR	\$
41.20	Coffer Dam, < 24 in depth	EA	\$
41.21	Coffer Dam, >24 in, < 48 in depth	EA	\$
41.22	Temporary 4' Chain Link Fence	LF	\$
41.23	Remove and Replace Existing 4' Galvanized Standard Chain Link Fence Residential	LF	\$
41.24	Remove and Replace Existing 5' Galvanized Standard Chain Link Fence Residential	LF	\$
41.25	Remove and Replace Existing 4' Black Vinyl Standard Chain Link Fence Residential	LF	\$
41.26	Remove and Replace Existing 5' Black Vinyl Standard Chain Link Fence Residential	LF	\$
41.27	Remove and Replace Existing 4' Wood Fence Residential	LF	\$
41.28	Remove and Replace Existing 6' Wood Fence Residential	LF	\$
41.29	Steel Plates (Typ. 5'x8' Size)	EA	\$
41.30	Reset Existing Headwall - 18" DIA	EA	\$
41.31	Reset Existing Headwall - 24" DIA	EA	\$
41.32	Reset Existing Headwall - 36" DIA	EA	\$
41.33	Reset Existing Headwall - 48" DIA	EA	\$
41.34	Reset Existing Headwall - 60" DIA	EA	\$
41.35	Adjust Manhole Cover in Pavement (complete, includes removal or modification of old structure top)	EA	\$
41.36	Adjust Manhole Cover in soil (complete, includes removal or modification of old structure top)	EA	\$
END OF UNIT PRICE SCHEDULE			

Proposal Price Certification

In compliance with the attached specification, the undersigned understands the minimum scope requirements of the City of Tucker for this project.

The undersigned offers and agrees that if this proposal is accepted by the Mayor and City Council within one hundred twenty (90) days of the date of bid opening, that the undersigned will furnish any or all of the deliverables and additional services offered, at the quoted price, to the designated point(s) within the time specified.

DATE _____

COMPANY _____

AUTHORIZED SIGNATURE _____

PRINT / TYPE NAME _____

CONTACT'S PHONE NUMBER _____

CONTACT'S EMAIL ADDRESS _____



GEORGIA SECURITY AND IMMIGRATION COMPLIANCE ACT AFFIDAVIT

GEORGIA E-Verify and Public Contracts: The Georgia E-Verify law requires contractors and all sub-contractors on Georgia public contract (contracts with a government agency) for the physical performance of services over \$2,499 in value to enroll in E-Verify, regardless of the number of employees.

Contractor Name:	
Solicitation/Bid number or Project Description:	RFP 2026-012 On Call Stormwater System Repairs and Maintenance Services

By executing this affidavit, the undersigned contractor verifies its compliance with O.C.G.A. § 13-10-91, stating affirmatively that the individual, entity or corporation which is engaged in the physical performance of services under a contract on behalf of the City of Tucker, Georgia has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. § 13-10-91.

Furthermore, the undersigned contractor will continue to use the federal work authorization program throughout the contract period as required by O.C.G.A. § 13-10-91(b) and the undersigned contractor will contract for the physical performance of services in satisfaction of such contract only with subcontractors who present and affidavit to the contractor with the information required by O.C.G.A. § 13-10-91(b). Contractor hereby attests that its federal work authorization user identification number and date of authorization are as follows:

Federal Work Authorization User Identification Number
(EEV/E-Verify Company Identification Number)

Date of Authorization

Name of Contractor

I hereby declare under penalty of perjury that the foregoing is true and correct

Printed Name (of Authorized Officer or Agent of Contractor)

Title (of Authorized Officer or Agent of Contractor)

Signature (of Authorized Officer or Agent)

Date Signed

SUBSCRIBED AND SWORN BEFORE ME ON THIS THE

____ DAY OF _____, 20____

Notary Public

[NOTARY SEAL]

My Commission Expires: _____



OATH OF NON-COLLUSION

COMES NOW, _____ (“Contractor”),
[*name of Contractor*]

appearing by and through _____,
[*name of individual with authority to bind Contractor*]

its _____ (“Individual And Representative Affiant”), and
[*title*]

[*insert the names of all those required to give the oath*]

(collectively, “Individual Affiants”), and each of the Individual And Representative Affiant and Individual Affiants, after first being duly sworn, deposes and says that:

1. Contractor has not directly or indirectly violated subsection (d) of the Official Code of Georgia Annotated Section 36-91-21, which provides as follows:

Whenever a public works construction contract for any governmental entity subject to the requirements of this chapter is to be let out by competitive sealed bid or proposal, no person, by himself or herself or otherwise, shall prevent or attempt to prevent competition in such bidding or proposals by any means whatever. No person who desires to procure such work for himself or herself or for another shall prevent or endeavor to prevent anyone from making a bid or proposal therefor by any means whatever, nor shall such person so desiring the work cause or induce another to withdraw a bid or proposal for the work.

Code Section 36-91-21(d) also applies to municipal street system contracts pursuant to Official Code of Georgia Annotated Section 32-4-122.

2. Individual And Representative Affiant is the officer of Contractor whose duty it is to make the payment.

3. If Contractor is a partnership, then Individual and Representative Affiant and Individual Affiants together constitute all of the partners and any officer, agent or other person who may have represented or acted for Contractor in bidding for or procuring the contract.

4. If Contractor is a corporation, then Individual and Representative Affiant and Individual Affiants together constitute all officers, agents, or other persons who may have acted for or represented Contractor in bidding for or procuring the contract.

Further affiants sayeth not.

This ____ day of _____, 20__.

By: _____, individually and on behalf of Contractor
[signature of Individual And Representative Affiant]

Name: _____

Title: _____

Individual Affiants' signatures and names:

Name:

Name:

Name:

Name:

Name:

Name:

Subscribed and Sworn before me on this
____ day of _____, 20__.

NOTARY PUBLIC
My Commission Expires:

Contact Information Form

Please fill out this form with the appropriate contact information for your company.

Full Legal Name of Company: _____

Date: _____

Contractor Information:

Primary Contact Person: _____

Title: _____ Telephone Number: _____

E-mail Address: _____

Secondary Contact Person: _____

Title: _____ Telephone Number: _____

E-mail Address: _____

Preferred Contact for Administration: (i.e. Document Processing) (Choose one)

Primary Contact

Secondary Contact

Address: _____

City / State / Zip: _____

Mailing Address (If different than above): _____

City / State / Zip: _____

Federal Employee ID Number (FEIN): _____